

SHUTTER SYSTEMS
COMFORT BETWEEN TRADITION AND STYLE



A MEMBER OF










SYSTEM	PROPERTIES	TEST VALUE
PERSIANA	Wind load resistance	Class 6
PERSIANA	Solar energy transmittance gtot	Class 4











#### **CONSTRUCTION PROPOSALS**

















## **SCURO ALLA VENETA**

SYSTEM	PROPERTIES	TEST VALUE
SCURO ALLA VENETA	Wind load resistance	Class 6


















## CONSTRUCTION PROPOSALS
























CUSTOMIZE YOUR
LIVING ENVIRONMENT WITH

www.alphacan-mydesign.com











#### Elegant, resistant and customisable

with a wide range of prestigious colours and finishes, ALPHACAN Shutter Systems are maintenance-free and fit perfectly into any context.

Made from high quality PVC, innovatively designed and with high weather resistant properties, they are a sustainable and durable choice, helping to reduce energy waste and bills.












SYSTEM	PROPERTIES	TYPE	TEST VALUE
CASSONETTO MEDITERRANEO	Transmittance (U <sub>SB</sub> )	Standard	2,7 W/m <sup>2</sup> K
		Iso	0,99 W/m² K
	Acoustics (R <sub>w</sub> )	Standard	30 dB
		Iso	32 dB










Finishings and colours can be matched to the window



SYSTEM	PROPRIETÀ	TIPOLOGIA	VALORE TEST
CASSONETTO RISTRUTTURAZIONE	Transmittance (U <sub>SB</sub> )	Front XPS 24 mm	1,6 W/m² K
		Front XPS 40 mm	1,4 W/m² K
		Front XPS 24 mm with side layers EPS 20 mm	1,2 W/m² K
		Front XPS 40 mm with side layers EPS 20 mm	1,0 W/m² K





28,0



# ALPHACAN INNOVATIVE PROFILES & SOLUTIONS

A MEMBER OF

ALPHAPRO

AUTHORIZED MANUFACTURER ALPHACAN

Company Headquarters and Production plant Via San Sisto, 24 -I-38062 Arco (TN) Tel. +39 0464 587 500

